Subject Index to Volume 2

Activated sludge (Kim) 51
Activated sludge (Trevors) 283
Adaptation phase (Ayoub) 259
Aeromonas hydrophila (Laohavir-
anit) 98
Agar plate method (Liu) 463
Agar plate test (Seyfried) 31
Algae toxicity (Aoyama) 342
Algal growth rate (Aoyama) 346
Ames Test (Stoyanov) 207
Ames Test (Xu) 79
Amperometric biosensor (Rawson) 325
Animal house aerosols (Hartung) 1
Animal house air (Hartung) 1
Antibiotic resistance (Belliveau) 377
Antimicrobial activity (Hartung) 1
Aqueous sample (Hinwood) 449
ATP (Xu) 357
ATP bioassay (Seyfried) 29
ATP determination (Xu) 357
ATP—*E. coli* (Xu) 149
Pseudomonas fluorescens
Salmonella typhimurium
ATP=Tox system (Xu) 357
ATP=Tox system
Culture Media (Xu) 151
reproducibility
sensitivity
Bacillus cereus (Liu) 464
Bacterial electrode (Rawson) 328
Bioassy (Ribo) 308
Biodegradation, DBCP (Liu) 240
Biodegradation of wastes (Trevors) 283
Cadmium bioaccumulation (Vyma-
zal) 402
Cadmium distribution in environment
(Vymazal) 387
Cadmium toxicity mechanism
(Vymazal) 393
Cadmium toxicity (Vymazal) 387
Cadmium uptake (Bauda) 63
Carcinogenic nitrosamines (Stoy-
anov) 207
Cell-free luminescence assay
(Surowitz) 17
Cell membrane polarisation
(White) 437
Cellular ATP (Oliveira) 175
Cellular transport processes
(White) 437
Chemical combinations (Aoyama) 349
Chemicals (Ribo) 305
Chlamydomonas 253
Chlamydomonas—waste water treat-
ment 260
Chlorella ellipsoidea (Aoyama) 342
Chlorine (Kim) 55
Chromium—*chlamydomonas* 260
Contact time effect (Aoyama) 341
Cyanobacteria (Rawson) 327
Cytotoxin (Laohaviranit) 97
DBCP (Liu) 239
DBCP, biodegradation (Liu) 240
DBCP, desorption (Liu) 243
DBCP, transport model (Liu) 246
DCMU (Rawson) 331
2,4,-D degradation (Peretti) 217
Degradation test (Gledhill) 89
Dehydrogenase activity (Kim) 52
Detoxification (Matthews) 265
Dibromochloropropane (Liu) 239
2,4,-Dichlorophenoxyacetic acid
(Peretti) 217
Dinitrophenol (Bauda) 63
Diseased fish (Laohaviranit) 98
EC_{50} values (Hinwood) 450
E. coli K12 OR85 (Reinhartz) 194
Ecotoxicity testing (Babich) 119
Effect of ionic solutes (Hinwood) 456
Effect on algae and cyanobacteria
(Vymazal) 387
Effluent toxicity (Pratt) 419
Effluents (Ribo) 305
Environmental selection (Bel-
liveau) 381
Factors affecting cadmium toxicity
(Vymazal) 396
Feloran (Stoyanov) 208
Filamentous bulking (Kim) 49
Fish cells Babich 121–125
cytotoxicity
genotoxicty
Fish consumption (Laohaviranit) 98
Gasoline (Oliveira) 175

Genotoxicity (Fish) 135
Genotoxicity (Xu) 79
Heavy metal toxicity (Seyfried) 33
Heavy metal uptake (White) 437
Heavy metal toxicity (White) 437
  uptake
Homolysin (Laohaviranit) 101
Herbicide toxicity (Mahendru) 167–168
  bacterial counts
  Basalin
  Black Cotton Soil
  Lasso
  microbial activity
  Tafazine
Herbicides (Peretti) 218
Herbicides (Rawson) 330
Hydrogen peroxide (Kim) 57
Inhibition of H+ efflux (White) 437
Inhibition of K+ uptake (White) 437
INT-dehydrogenase test (Koopman) 105
Ionic strength (Hinwood) 449
Kirby-Bauer procedure (Belliveau) 379
Lead (Oliveira) 175
  toxicity
Luciferase activity (Xu) 357
Luminescence assay (Surowitz) 19
Malachite green (Koopman) 107
Marsh treatment systems (Seyfried) 30
Mediators (Rawson) 331
Metabolic inhibitors (Bauda) 67
Metal accumulation mechanisms (Bauda) 64
Metal complexation (Oliveira) 175
Metal cutting fluids (Trevors) 289
Microcosm toxicity test (Pratt) 417
Micronucleus test (Stoyanov) 209
Microtox (Hartung) 1
Microtox (Surowitz) 17
Microtox (Xu) 150
Microtox (Matthews) 269
  creosote
  pentachlorophenol
Microtox test (Hinwood) 449
Microtox test (Ribo) 305–318
  application
  bioassay
  effluents
  experimental condition
  photobacterium phosphoreum
Microtox test (Xu) 82
Mid-point cytotoxicities (Babich) 121
  inorganic chemicals
  organic chemicals
Mutagen tests (Stoyanov) 207
4 nitro quinoline oxide (Fish) 135
Osterhout salt solution (Slabbert) 230
Oxygen uptake (Slabbert) 233
Parathion (Rosas) 293
Persistence of chemicals (Gledhill) 91
Pesticide (Rosas) 293
  adaptation
Pesticides (Rosas) 295
  E.Coli
  R. meliloti
  P. aeruginosa
Pharmaceutical products (Stoyanov) 207
Phospholipid alteration (Rosas) 294
Photobacterium phosphoreum (Hinwood) 449
Photobacterium phosphoreum (Ribo) 307
Photonius pyralis (Surowitz) 25
Photosyntheses (Rawson) 332
Plasmid (Trevors) 283
Prokaryotic membranes (Peretti) 233
Protein content media (Oliveira) 175
Protozoan communities (Pratt) 417
Pseudomonas fluorescens (Bauda) 64
Pseudomonas putida (Slabbert) 229-232
  oxygen uptake
  toxicity assay
Pseudomonas spp. (Belliveau) 377
  lead
  tin
  antibiotics
  sediment
  Relative potency analysis (Pratt) 421
  Relative toxicity (Liu) 467
  Resazurin reduction test (Seyfried) 29
Rhizobium sp. M4 (Peretti) 218
Sediments (Xu) 79
Soil detoxification (Matthews) 265
SOS Chromotest (Fish) 137
  kit
SOS Chromotest (Xu) 81
SOS inducing potency (Fish) 135

SOS IP (Fish) 135
Sperm morphology testing (Stoyanov) 209
Suspended solids (Kim) 49
Synergistic effect (Aoyama) 349
Taxonomic richness (Pratt) 417
Thymidine uptake (Gledhill) 94
Toxi-Chromotest (Reinhartz) 194
MIC
pesticides
Toxic floor (Matthews) 272
Toxic Substances Control Act (Gledhill) 90
Toxicity assay (Slabbert) 232
Toxicity colorimetric assay (Reinhartz) 193
Toxicity of copper (Pratt) 417
Toxicity potential assessment (Liu) 463
Toxicity screening procedure (Liu) 463
Toxicity Testing kit (Reinhartz) 193
U.S.A. federal regulations (Gledhill) 89
V. fisheri (Surowitz) 23
Wastewater (Koopman) 105
Wastewater medium 254
Whole cell luminescence assay (Surowitz) 19
Wood preservative waste (Matthews) 268

Author Index to Volume 2

Aoyama I,
The interaction effects of toxic chemical combinations on *Chlorella ellipsoidea*, 341–355
Ayoub GM,
The effects and removal of chromium in *Chlamydomonas* sp., 253–264
Babich H,
Cultured fish cells for the ecotoxicity testing of aquatic pollutants, 119–133
Bauda P,
Cadmium uptake by *Pseudomonas fluorescens* cells, 63–78
Belliveau BH,
Lead, tin, and multiple antibiotic resistant *Pseudomonas spp.* isolated from polluted sediment, 377–386
Bitton G, see Kim CW
Bitton, G, see Koopman B
Block JC, see Bauda P
Borenfreund E, see Babich H
Burke BE, see Surowitz KG
Cairns J, see Pratt JR
Cardosi MC, see Rawson DM
Chernozemsky IN, see Stoyanov IS
Desjardins RM, see Seyfried PL
Dias M, see Oliveira JS
Dubey PS, see Mahendru P
Duffard AME, see Peretti AIF
Duffard RO, see Peretti AIF
Dutka BJ, see Xu H
Dutka BJ, see Xu H
Dutka BJ, see Xu H
Fish F,
The SOS Chromotest Kit: A rapid method for the detection of genotoxicity, 135–147
Fish F, see Reinhartz A
Gadd GM, see White C
Garsot P, see Bauda P
Ghittoni NE, see Peretti AIF
Gledhill WE:
Microbial toxicity and degradation test methodology: an industrial perspective, 89–96
Green RE, see Liu CCK
Halachmi A, see Fish F
Hartung J,
Testing the antimicrobial activity of compounds from the air of animal houses using the Microtox Test, 1–15
Hastings L, see Matthews JE
Herzberg M, see Fish F
Herzberg M, see Reinhartz A
Hinwood AL,
The effect of ionic solutes on EC50 values measured using the Microtox test, 449–461
Kaiser KLE, see Ribo JM
Kim CW,
Effect of suspended solids concentration and filament type on the toxicity of chlorine and hydrogen peroxide to bulking activated sludge, 49–62
Koopman B, see Kim CW
Koopman B,
INT=dehydrogenase assay for chemical toxicity in wastewater systems, 105–114
Kwan KK, see Xu H
Lampert I, see Fish F
Lampert I, see Reinhartz A
Laohaviranit L,
Cytotoxin and Hemolysin in diseased fish during epidemic outbreaks, 97–103
Liu CCK,
Biodegradation and adsorption of DBCP and the mathematical simulation of its transport in tropical soils, 239–252

Liu D,
Agar plate method for rapid screening of chemical toxicity, 463–468
Mahendru P,
Herbicide toxicity and microbial responses in soil, 167–174
Matthews JE,
Evaluation of toxicity test procedure for screening treatability potential of waste in soil, 265–281
McCormick MJ, see Hinwood AL
Mendes B, see Oliveira JS
Moro GBM, see Peretti AIF
Nicolov IG, see Stoyanov IS
Niederlenher BR, see Pratt JR
Okamura H, see Aoyama I
Oliveira JS,
Toxicity of lead on microorganisms: interaction with protein content of culture medium, 175–191
Peretti AIF,
Effects of 2,4,-dichlorophenoxyacetic acid on *Rhizobium* sp. in pure culture, 217–228
Pfister RM, see Surowitz KG
Pratt JR,
Prediction of permissible concentrations of copper from microcosm toxicity tests, 417–436
Pratt NB, see Pratt JR
Rawson DM,
The development of whole cell biosensors for on-line screening of herbicide pollution of surface waters, 325–340
Reinhartz A,
A new, short term, sensitive, bacterial assay kit for the detection of toxicants, 193–206
Ribo JM,
Photobacterium phosphoreum toxicity bioassay. I. Test procedures and applications, 305–323
Riesenfeld G, see Fish F
Rodigues A, see Oliveira JS
Rosas SB,
The action of pesticides on microorganisms. I. Parathion, 293–303
Sayigh BA, see Ayoub GM
Seyfried PL,
Use of the ATP bioassay to assess toxic effects in marsh treatment systems, 29–47
Slabbert JL,
A toxicity assay based on oxygen uptake by *Pseudomonas putida*, 229–235
Stoichev I, see Stoyanov IS
Storani MMCde, see Rosas SB
Stoyanov IS,
Assessment for mutagenicity of ten pharmaceutical products following Ames, Micronucleus and Sperm Morphology testing, 207–215
Surowitz KG,
Comparison of cell-free and whole cell luminescence assays in toxicity testing, 17–27
Tamrakar NK, see Liu CCK
Trevors JT, see Beliveau BH
Trevors JT,
Identification of plasmid containing bacteria in an activated sludge reactor, 283–291
Vymazal J,
Toxicity and accumulation of cadmium with respect to algae and cyanobacteria: A review, 387–415
White C,
Inhibition of H+ efflux and K+ uptake and induction of K+ efflux in yeast by heavy metals, 437–447
Willmer AJ, see Rawson DM
Wong PTS, see Beliveau BH
Xu H,
ATP=Tox system—A bacterial toxicity screening procedure, 357–365
Xu H,
ATP=TOX system—A new rapid, sensitive bacterial toxicity screening system based on the determination of ATP, 149–166
Xu H,
Genotoxicity studies on sediments using a modified SOS chromotest, 79–87
Yagi M, see Aoyama I